




SUPA LOCK™ PRODUCT RANGE OVERVIEW



AVK SUPA LOCK™ - THE THREADLESS CONNECTION SYSTEM



SERVICE CONNECTION VALVE, SUPA LOCK™

AVK ref. nos	DN
103-032-00-000464	32



SERVICE CONNECTION VALVE, PRK COUPLING

AVK ref. nos	Pipe mm
103-032-50-500464	32
103-032-50-510464	40



SERVICE CONNECTION ANGLE VALVE, SUPA LOCK™

AVK ref. nos	DN
103-032-02-000464	32



SERVICE CONNECTION ANGLE VALVE, PUSH-IN

AVK ref. nos	Pipe mm
103-032-31-400464	32
103-032-31-410464	40



BRASS BALL VALVE, BSP THREAD

AVK ref. nos	BSP thread
343-025-8100	1"
343-032-8100	1¼"
343-040-8100	1½"



BRASS BALL VALVE, PRK COUPLING

AVK ref. nos	Pipe mm
343-025-8400	32
343-032-8400	40
343-040-8400	50



BRASS BALL VALVE, SCREW COUPLING

AVK ref. nos	Pipe mm
343-025-8500	32
343-032-8500	40
343-040-8500	50



TAPPING HEAD WITH BLADE SHUT-OFF

AVK ref. nos	DN
107-005-74-32464	32



TAPPING SADDLE FOR IRON/STEEL PIPES

AVK ref. nos	Tolerance mm
100-067-14-320464	60-67
100-083-14-320464	76-83
100-099-14-320464	88-99
100-119-14-320464	114-119
100-171-14-320464	168-171
100-223-14-320464	219-223



TAPPING SADDLE FOR IRON/STEEL PIPES WITH BLADE SHUT-OFF

AVK ref. nos	Tolerance mm
100-088-85-320464	50-88
100-118-85-320464	88-118
100-133-85-320464	105-133
100-159-85-320464	133-159
100-186-85-320464	156-186
100-216-85-320464	186-216
100-244-85-320464	210-244
100-270-85-320464	240-270
100-298-85-320464	265-298
100-330-85-320464	299-330
100-345-85-320464	315-345
100-360-85-320464	325-360



TAPPING SADDLE HEADS FOR IRON/STEEL PIPES WITH BLADE SHUT-OFF

AVK ref. nos	Tolerance mm
100-040-84-320464	50-88
100-080-84-320464	88-360



STIRRUPS FOR TAPPING SADDLE

AVK ref. nos	Tolerance mm
730-6-088-021	50-88
730-6-118-021	88-118
730-6-133-021	105-133
730-6-159-021	133-159
730-6-186-021	156-186
730-6-216-021	186-216
730-6-244-021	210-244
730-6-270-021	240-270
730-6-298-021	265-298
730-6-330-021	299-330
730-6-345-021	315-345
730-6-360-021	325-360



TAPPING SADDLE FOR PE/PVC PIPES

AVK ref. nos	Pipe mm
100-063-00-320464	63
100-075-00-320464	75
100-090-00-320464	90
100-110-00-320464	110
100-125-00-320464	125
100-140-00-320464	140
100-160-00-320464	160
100-200-00-320464	200
100-225-00-320464	225



TAPPING SADDLE FOR PE/PVC PIPES WITH BLADE SHUT-OFF

AVK ref. nos	Pipe mm
100-090-30-320464	90
100-110-30-320464	110
100-125-30-320464	125
100-140-30-320464	140
100-160-30-320464	160
100-200-30-320464	200
100-225-30-320464	225



BLADE

AVK ref. nos
730-0-0-1



BRASS SENSOR FITTING

AVK ref. nr.

106-901-02-324



STRAIGHT PUSH-IN FITTING

AVK ref. nos	Pipe mm
107-032-21-32464	32
107-040-21-32464	40
107-050-21-32464	50
107-063-21-32464	63



45° ANGLED PUSH-IN FITTING

AVK ref. nos	Pipe mm
107-025-51-32464	25
107-040-51-32464	40



90° ANGLED PUSH-IN FITTING

AVK ref. nos	Pipe mm
107-032-31-32464	32
107-040-31-32464	40
107-050-31-32464	50
107-063-31-32464	63



90° FITTING WITH SUPA LOCK™ SOCKET END WITH 360° ROTATION

AVK ref. nos	DN
107-040-11-32464	32



90° FITTING WITH SUPA LOCK™ SOCKET END WITH ROTATION LOCK

AVK ref. nos	DN
107-040-25-32464	32



FITTING WITH PE PIPE END

AVK ref. nos	Pipe mm
107-032-36-32464	32
107-040-36-32464	40
107-050-36-32464	50
107-063-36-32464	63



FITTING WITH PRK COUPLING

AVK ref. nos	Pipe mm
106-032-01-32464	32
106-040-01-32464	40



BRASS FITTING WITH PRK COUPLING

AVK ref. nos	Pipe mm
106-032-02-324	32
106-040-02-324	40
106-050-02-324	50



BRASS FITTING WITH SCREW COUPLING

AVK ref. nos	Pipe mm
106-132-02-324	32
106-140-02-324	40
106-150-02-324	50



SPACER FOR FLANGED CONNECTIONS

AVK ref. nos	DN
109-080-10-32064	80
109-100-10-32064	100
109-150-10-32064	150
109-200-10-32064	200
109-250-10-32064	250
109-300-10-32064	300
109-400-10-32064	400



DOUBLE SPIGOT FITTING

AVK ref. nos	DN
109-032-15-32464	32



3-WAY SOCKET FITTING

AVK ref. nos	DN
109-032-16-32064	32



4-WAY SOCKET FITTING

AVK ref. nos	DN
109-032-20-32064	32



DOUBLE UPVC SOCKET FITTING

AVK ref. nr.	DN
109-110-24-32464	100
109-160-24-32464	150
109-200-24-32464	200
109-225-24-32464	200
109-250-24-32464	250
109-280-24-32464	250
109-315-24-32464	300



UPVC SOCKET/SPIGOT FITTING

AVK ref. nr.	DN
109-110-25-32464	100
109-160-25-32464	150
109-200-25-32464	200
109-225-25-32464	200
109-250-25-32464	250
109-280-25-32464	250
109-315-25-32464	300



TYTON SOCKET/SPIGOT FITTING

AVK ref. nr.	DN
109-118-26-32064	100
109-170-26-32064	150
109-222-26-32064	200
109-274-26-32064	250
109-326-26-32064	300



DOUBLE TYTON FITTING

AVK ref. nr.	DN
109-118-30-32064	100
109-170-30-32064	150
109-222-30-32064	200
109-274-30-32064	250
109-326-30-32064	300



BLIND FLANGE

AVK ref. nr.	PN	DN
109-100-23-320641	10/16	100
109-150-23-320641	10/16	150
109-200-23-320641	16	200
109-200-23-320642	10	200
109-250-23-320641	16	250
109-250-23-320642	10	250
109-300-23-320641	16	300
109-300-23-320642	10	300
109-400-23-320641	16	400
109-400-23-320642	10	400
109-500-23-320641	16	500
109-500-23-320642	10	500
109-600-23-320641	16	600
109-600-23-320642	10	600



BLIND PLUG

AVK ref. nos

106-000-00-32464



THREADED CONNECTOR

AVK ref. nos	BSP thread
106-003-01-32464	1¼"
106-004-01-32464	1½"
106-005-01-32464	2"



BRASS THREADED CONNECTOR

AVK ref. nos	BSP thread
106-002-02-324	1"
106-003-02-324	1¼"
106-004-02-324	1½"
106-005-02-324	2"



TRANSITION CONNECTOR

AVK ref. nos	BSP thread
106-013-03-32464	1¼"
106-014-03-32464	1½"
106-015-03-32464	2"



HOT TAP DRILLING KIT

AVK ref. nos

970-5003-00200001

AVK INTERNATIONAL A/S

Bizonvej 1
DK-8464 Galten
Denmark

Tel: +45 87 54 21 00
www.avkvalves.eu

2025-11-13
© 2025 AVK Group A/S - Rev. 10

